

# CATALOGUE 2018



**CONSOLIDATED** ○ **METRO** ○ **GROUP**

## To Contact Us And Order

**PHONE :** (02) 9682 7277

**FAX :** (02) 9682 7062

**EMAIL :** [orders@cmg.net.au](mailto:orders@cmg.net.au)

**[www.cmg.net.au](http://www.cmg.net.au)** (login details available)

Or come in and see us

212 Railway Terrace, Guildford, NSW, 2161



# CONTENTS

|          |                                                        |          |
|----------|--------------------------------------------------------|----------|
| <b>1</b> | <b>GLASSWOOL AND<br/>ROCKWOOL INSULATION</b>           | <b>7</b> |
| 1.1      | GLASSWOOL INTERNAL INSULATION SHEETS<br>PLAIN OR FACED | 7        |
| 1.2      | GLASSWOOL EXTERNAL ROLLS FACED HD                      | 7        |
| 1.3      | ROCKWOOL INSULATION                                    | 8        |
| 1.4      | POLYETHYLENE ROLLS                                     | 8        |
| 1.5      | POLYESTER INSULATION                                   | 8        |
| <b>2</b> | <b>DUCT HARDWARE</b>                                   | <b>9</b> |
| 2.1      | PANELS                                                 | 9        |
| 2.2      | DOORS & HANDLE SETS                                    | 9        |
| 2.3      | METAL SHEETS & PERF METAL                              | 10       |
| 2.4      | RAPID KITS                                             | 10       |
| 2.5      | QUADRANT KITS                                          | 11       |
| 2.6      | TURNING VANE & RUNNERS                                 | 11       |
| 2.7      | DUCT FLANGE                                            | 12       |
| 2.8      | DRIVE SLIDES                                           | 13       |
| 2.9      | CORNERS                                                | 13       |
| 2.10     | HINGES                                                 | 14       |
| 2.11     | CATCHES & LATCHES                                      | 14       |
| 2.12     | CABLE TIES                                             | 15       |
| 2.13     | PLASTIC STRAPPING & WRAP                               | 16       |
| 2.14     | METAL BANDING & STRAPPING                              | 17       |

|          |                                |           |
|----------|--------------------------------|-----------|
| <b>3</b> | <b>FASTENERS &amp; FIXINGS</b> | <b>18</b> |
| 3.1      | DYNA BOLTS & ANCHORS           | 18        |
| 3.2      | THREADED ROD                   | 19        |
| 3.3      | HEX COUPLER/JOINERS            | 20        |
| 3.4      | STICK PINS & HANGERS           | 20        |
| 3.5      | TECH SCREWS                    | 21        |
| 3.6      | SOCKETS & SCREW TIPS           | 21        |
| 3.7      | NUTS AND HEX HEAD BOLTS        | 22        |
| 3.8      | NUTS AND CUP HEAD BOLTS        | 22        |
| 3.9      | HEX, WING, WEDGE NUTS          | 23        |
| 3.10     | WASHERS                        | 23        |
| 3.11     | DRILL BITS                     | 24        |
| 3.12     | MASONRY DRILL BITS             | 24        |
| 3.13     | RAWL SPIKES                    | 25        |
| 3.14     | CUT-OFF WHEELS                 | 25        |
| 3.15     | RIVET ALUMINIUM/STEEL (AS)     | 26        |
| 3.16     | RIVET STEEL/STEEL (SS)         | 26        |
| 3.17     | RIVET STAINLESS STEEL (STST)   | 27        |
| 3.18     | RIVET GUN                      | 27        |
| 3.19     | WELD PINS & SPEED CLIPS        | 27        |
| <b>4</b> | <b>HANGERS</b>                 | <b>30</b> |
| 4.1      | HANGERS & CLAMPS               | 30        |
| 4.2      | CHANNEL STRUT NUTS             | 31        |
| 4.3      | CHANNELS & ANGLES              | 32        |

|           |                               |           |
|-----------|-------------------------------|-----------|
| <b>5</b>  | <b>TAPES</b>                  | <b>34</b> |
| 5.1       | FOIL TAPE                     | 34        |
| 5.2       | DUCT TAPE                     | 34        |
| 5.3       | DUCT GUARD                    | 34        |
| <b>6</b>  | <b>ADHESIVES AND SEALANTS</b> | <b>36</b> |
| 6.1       | SOLDER STICKS                 | 36        |
| 6.2       | SEALANTS                      | 36        |
| 6.3       | PAINT BRUSHES                 | 38        |
| 6.4       | ADHESIVES                     | 38        |
| 6.5       | PAINTS & COATINGS             | 39        |
| <b>7</b>  | <b>SPIGOTS</b>                | <b>40</b> |
| 7.1       | SPIGOTS WITHOUT DAMPER        | 40        |
| 7.2       | SPIGOTS WITH DAMPER           | 40        |
| 7.3       | GRILLE SPRINGS                | 41        |
| <b>8</b>  | <b>ACOUSTIC MATERIALS</b>     | <b>42</b> |
| 8.1       | BARRIER/ABSORBER              | 42        |
| 8.2       | PIPE LAGGING                  | 42        |
| 8.3       | NOISE BARRIERS                | 42        |
| 8.4       | WAFFLE PADS                   | 43        |
| <b>9</b>  | <b>FIRE PROTECTION</b>        | <b>44</b> |
| 9.1       | FIRE DAMPER STRIP             | 44        |
| 9.2       | HIGH TEMP                     | 44        |
| <b>10</b> | <b>CLEANERS &amp; WIPES</b>   | <b>45</b> |
| 10.1      | CLEANERS                      | 45        |

|            |                             |           |
|------------|-----------------------------|-----------|
| <b>1 1</b> | <b>SAFETY GEAR</b>          | <b>46</b> |
| 11.1       | SAFETY EQUIPMENT            | 46        |
| 11.2       | DUST MASKS & GLOVES         | 47        |
| <b>1 2</b> | <b>TOOLS</b>                | <b>48</b> |
| 12.1       | HAND TOOLS                  | 48        |
| 12.2       | HACKSAW BLADES              | 49        |
| <b>1 3</b> | <b>POWER TOOLS</b>          | <b>50</b> |
| 13.1       | POWER TOOLS & ACCESSORIES   | 50        |
| <b>1 4</b> | <b>PIPE INSULATION</b>      | <b>51</b> |
| 14.1       | STYRENE SPI - FOIL FACED    | 51        |
| 14.2       | GLASSWOOL SPI - FOIL FACED  | 51        |
| 14.3       | POLYETHYLENE SPI            | 51        |
| 14.4       | ROCKWOOL SPI - FOIL FACED   | 51        |
| <b>1 5</b> | <b>PIPE CLADDING</b>        | <b>52</b> |
| 15.1       | ZINC BENDS                  | 52        |
| 15.2       | ZINC CONES                  | 52        |
| 15.3       | ZINC TEES                   | 52        |
| 15.4       | ZINC STRAIGHTS              | 52        |
| <b>1 6</b> | <b>PIPE SIZES</b>           | <b>53</b> |
| <b>1 7</b> | <b>P.I.R BOARD</b>          | <b>54</b> |
| <b>1 8</b> | <b>TERMS AND CONDITIONS</b> | <b>56</b> |
| <b>1 9</b> | <b>MEET THE TEAM</b>        | <b>57</b> |

# 1 GLASSWOOL AND ROCKWOOL INSULATION

## 1.1 GLASSWOOL INTERNAL INSULATION SHEETS PLAIN OR FACED

32KG OR 48KG HIGH DENSITY  
(MINIMUM RUN APPLIES FOR 1500MM 48KG)

**SHEET SIZES :** 2400MM x 1200MM or 2400MM x 1500MM

**FACINGS :** PLAIN FOIL, PEFORATED FOIL - SILVER OR BLACK  
MYLAR, MYLAR/PERFORATED, ULTRAPHON AND ACOUSTITUFF

| SIZE  | R VALUE | PACK RATE | IMAGE                                                                                |
|-------|---------|-----------|--------------------------------------------------------------------------------------|
| 13MM  | R.04    | 20        |  |
| 25MM  | R.08    | 10        |                                                                                      |
| 38MM  | R1.2    | 6         |                                                                                      |
| 50MM  | R1.5    | 5         |                                                                                      |
| 75MM  | R2.2    | 3         |                                                                                      |
| 100MM | R3      | 2         |                                                                                      |

## 1.2 GLASSWOOL EXTERNAL ROLLS FACED HD

22KG - 24KG

**ROLL SIZES :** 1200MM or 1500MM WIDE

| SIZE | R VALUE | IMAGE                                                                                 |
|------|---------|---------------------------------------------------------------------------------------|
| 25MM | R.08    |  |
| 38MM | R1.2    |                                                                                       |
| 50MM | R1.5    |                                                                                       |
| 75MM | R2.0    |                                                                                       |

## 1.3 ROCKWOOL INSULATION

60KG - 80KG - 120KG - 150KG HIGH TEMPERATURE WIRED

**FACINGS :** FSK FOIL, PLAIN FOIL, PERFORATED FOIL, MYLAR

| SIZE            | PACK RATE | IMAGE                                                                               |
|-----------------|-----------|-------------------------------------------------------------------------------------|
| 30MM 1.2 x 600  | 10        |  |
| 50MM 1.2 x 600  | 6         |                                                                                     |
| 75MM 1.2 x 600  | 4         |                                                                                     |
| 100MM 1.2 x 600 | 3         |                                                                                     |

**ROCK WOOL ROLLS AVAILABLE UPON REQUEST ALL INSULATION SOLD AS A PACK RATE ONLY**

## 1.4 POLYETHYLENE ROLLS

| ITEM NUMBER | PACK RATE                                           | IMAGE                                                                                |
|-------------|-----------------------------------------------------|--------------------------------------------------------------------------------------|
| PA5         | ADHESIVE ONLY 50Mx1000MMx5MM (50m <sup>2</sup> )    |  |
| PFA5        | FOIL & ADHESIVE 50Mx1000MMx5MM (50m <sup>2</sup> )  |                                                                                      |
| PA10        | ADHESIVE ONLY 25Mx1000MMx10MM (25m <sup>2</sup> )   |                                                                                      |
| PFA10       | FOIL & ADHESIVE 25Mx1000MMx10MM (25m <sup>2</sup> ) |                                                                                      |
| PF25        | FOIL ONLY 10Mx1000MMx25MM (10m <sup>2</sup> )       |                                                                                      |

## 1.5 POLYESTER INSULATION

32KG-48KG WHITE or BLACK

**FACINGS :** PLAIN FOIL PERF FOIL-SILVER or BLACK

| SIZE | R VALUE | PACK RATE | IMAGE                                                                                 |
|------|---------|-----------|---------------------------------------------------------------------------------------|
| 25MM | R0.6    | 10        |  |
| 38MM | R1      | 5         |                                                                                       |
| 50MM | R1.5    | 5         |                                                                                       |
| 75MM | R2      | 2         |                                                                                       |

**2400 x 1200 & 2400 x 1500 LEAD TIMES AND MINIMUMS APPLY**



## 2.1 PANELS

| Item Number | Description                                                        | UOFM | Image                                                                                 |
|-------------|--------------------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| 80017       | ACCESS PANEL 235 x 159<br>(200 x 125 OPENING) HAND OR SIGHT        | EA   |    |
| 81017       | ACCESS PANEL 350x200<br>(300 x 150 OPENING)<br>ONE HAND + SIGHT    | EA   |    |
| 82017       | ACCESS PANEL 500 x 300<br>(460 x 250 OPENING)<br>TWO HANDS + SIGHT | EA   |   |
| 83017       | ACCESS PANEL 580 x 400<br>(530 x 360 OPENING)<br>HEAD + SHOULDERS  | EA   |  |
| 84017       | ACCESS PANEL 680 x 480<br>(635 x 430 OPENING) BODY ENTRY           | EA   |  |
| APF         | ACCESS PANEL 750 x 750<br>FOR 610 x 610 FILTER REMOVAL             | EA   |  |

## 2.2 DOORS & HANDLE SETS

| Item Number | Description                   | UOFM | Image                                                                                 |
|-------------|-------------------------------|------|---------------------------------------------------------------------------------------|
| AD7         | ACCESS DOOR 1130 x 580 x 25MM | EA   |  |
| AD7/F       | ACCESS DOOR 1130 x 725 x 25MM | EA   |                                                                                       |

| Item Number | Description                                             | UOFM | Image                                                                               |
|-------------|---------------------------------------------------------|------|-------------------------------------------------------------------------------------|
| ADH25       | ACCESS DOOR CHROME HANDLE SET<br>(SUIT 25MM THICK DOOR) | EA   |  |
| ADH50       | ACCESS DOOR CHROME HANDLE SET<br>(SUIT 50MM THICK DOOR) | EA   |                                                                                     |

## 2.3 METAL SHEETS & PERF METAL

| Item Number | Description                                          | UOFM | Image                                                                                 |
|-------------|------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| PMZ41       | PERF METAL ZINC .55 x 1200 x 2400<br>41% OPEN AREA   | SHT  |   |
| MZ340       | PERF METAL ZINC .6 x 1200 x 2400<br>11% OPEN AREA    | SHT  |                                                                                       |
| WM-12       | WELDED MESH GALV. 12.7 x 12.7 x 1.24<br>1200MM x 30M | ROLL |  |

## 2.4 RAPID KITS

|     |                                                                |      |                                                                                       |
|-----|----------------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| THB | RAPID KIT - NYLON BUSH FOR KWIKI<br>DAMPER KITS 7.9MM ID (HCP) | 100  |  |
| HCP | RAPID KIT DAMPER SET<br>INC. NYLON BUSH (100/PK)               | PACK |  |

## 2.5 QUADRANT KITS

| Item Number | Description                                                       | UOFM | Image                                                                                 |
|-------------|-------------------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| QL-125      | QUADRANT - STUB SHAFT - LONG<br>12.5MM x 125MM Z/P                | EA   |    |
| QBT-12      | QUADRANT BEARING<br>12.5MM THROUGH (1/2) BUSHES (10)              | EA   |    |
| QFA         | QUADRANT FACE & ARM KIT 12.5MM<br>(NO SHAFTS OR BEARING INCLUDED) | EA   |    |
| QK12        | QUADRANT KIT 12.5MM<br>COMPLETE WITH 2 SHAFTS                     | EA   |   |
| QSNB10      | QUADRANT NYLON SHAFT LOCKING<br>BUSH 10MM (WASHER)                | EA   |  |
| RQ          | QUADRANT KIT - RAISED DIECAST<br>COMPLETE 3PC DET                 | EA   |  |
| RQW         | WASHER - LOCK TO SUIT RAISED<br>QUADRANT END BEARING              | EA   |  |

## 2.6 TURNING VANE & RUNNERS

| Item Number | Description               | UOFM | Image                                                                                 |
|-------------|---------------------------|------|---------------------------------------------------------------------------------------|
| VRS         | VANE RUNNER<br>SINGLE 30M | ROLL |  |
| VRT         | VANE RUNNER<br>TWIN 30M   | ROLL |  |

## 2.7 DUCT FLANGE

| Item Number | Description                                    | UOFM | Image                                                                                 |
|-------------|------------------------------------------------|------|---------------------------------------------------------------------------------------|
| DF25        | DUCT FLANGE 25MM x 5.8M                        | EA   |   |
| DF25P       | DUCT FLANGE 25MM x 5.8M<br>50/PACK             | PACK |                                                                                       |
| DF35        | DUCT FLANGE 35MM x 5.8M                        | EA   |                                                                                       |
| DF35P       | DUCT FLANGE 35MM x 5.8M<br>60/PACK             | PACK |                                                                                       |
| DC150P      | DUCT FLANGE CLEATS 130MM<br>SNAP ON 250/CTN    | CTN  |  |
| DC25P       | DUCTMATE CORNERS 25MM<br>250/CTN               | CTN  |  |
| DC35P       | DUCTMATE CORNERS 5MM<br>250/CTN                | CTN  |                                                                                       |
| L508        | FLANGE CORNER CLAMP FOR 20MM<br>FLANGE         | EA   |  |
| JCT         | J CLEAT TOOL FOR SNAPON CLEATS                 | EA   |  |
| UC150P      | UNIVERSAL DUCT J CLEAT 150MM<br>SNAPON 500/CTN | CTN  |  |

## 2.8 DRIVE SLIDES

| Item Number | Description                                  | UOFM | Image                                                                               |
|-------------|----------------------------------------------|------|-------------------------------------------------------------------------------------|
| FS-2400     | SLIDE - FLAT - 2.4 LONG<br>0.9MM GAL 10/PK   | PACK |  |
| RDC         | SLIDE - REINFORCED DRIVE 3MTR<br>0.9MM 10/PK | PACK |  |
| SCP         | SLIDE DUCT CORNERS<br>1000/PK                | 1000 |  |

## 2.9 CORNERS

| Item Number | Description                  | UOFM | Image                                                                                 |
|-------------|------------------------------|------|---------------------------------------------------------------------------------------|
| HCT         | HAND TDF/C<br>CORNER TOOL    | EA   |  |
| TDFC        | TDF STACKABLE<br>250/CTN     | CTN  |  |
| TDFP        | TDF MANUAL CORNER<br>250/CTN | CTN  |  |
| TDCC        | TDC STACKABLE<br>250/CTN     | CTN  |  |
| TDCP        | TDC MANUAL CORNER<br>250/CTN | CTN  |  |

## 2.10 HINGES

| Item Number | Description                                                    | UOFM | Image                                                                                 |
|-------------|----------------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| BH38        | HINGE - 1.5 inch BUTT (38MM)<br>ZINC PLATED                    | EA   |    |
| BH50        | HINGE - 2 inch BUTT (51MM)<br>ZINC PLATED                      | EA   |                                                                                       |
| PHSS2       | PIANO HINGE<br>2 METRE STAINLESS STEEL                         | EA   |   |
| PH2         | PIANO HINGE 2 METRE N/P<br>15MM X 15MM X 60MM<br>BETWEEN HOLES | EA   |                                                                                       |
| PHR         | PIANO HINGE<br>25MTR COIL N/P                                  | ROLL |  |

## 2.11 CATCHES & LATCHES

| Item Number | Description                                     | UOFM | Image                                                                                 |
|-------------|-------------------------------------------------|------|---------------------------------------------------------------------------------------|
| DS20        | DRAIN SPOUT<br>20MM                             | EA   |  |
| SFR         | SASH FASTENER ROBUST<br>(2 PARTS+ SAFETY LATCH) | EA   |  |
| SFP         | SASH FASTENER Z/P SURFACE<br>MOUNTED<br>50/PK   | PACK |  |

| Item Number | Description           | UOFM | Image                                                                               |
|-------------|-----------------------|------|-------------------------------------------------------------------------------------|
| TL          | TOGGLE &<br>LATCH Z/P | EA   |  |

## 2.12 CABLE TIES

| Item Number | Description                                                   | UOFM | Image                                                                               |
|-------------|---------------------------------------------------------------|------|-------------------------------------------------------------------------------------|
| CT-310      | CABLE TIE - 4.8MM X 310MM LONG<br>NYLON NEUTRAL COLOUR 100/PK | PACK |  |
| CT-370      | CABLE TIE - 4.8MM X 370MM LONG<br>NYLON 100/PK                | PACK | AS ABOVE                                                                            |
| CT200       | CABLE TIE - 7.6MM X 810MM LONG<br>NYLON 200MM DIA 100/PK      | PACK | AS ABOVE                                                                            |
| CT250       | CABLE TIE - 9MM X 915MM LONG<br>NYLON 250MM DIA 100/PK        | PACK | AS ABOVE                                                                            |
| CT350       | CABLE TIE - 9MM X 1220MM LONG<br>NYLON 350MM DIA 100/PK       | PACK | AS ABOVE                                                                            |
| CT400       | CABLE TIE - 9MM X 1320MM LONG<br>NYLON 400MM DIA 100/PK       | PACK | AS ABOVE                                                                            |
| CT450       | CABLE TIE - 9MM X 1550MM LONG<br>NYLON 450MMDIA 100/PK        | PACK | AS ABOVE                                                                            |



| Item Number | Description                                                  | UOFM | Image                                                                               |
|-------------|--------------------------------------------------------------|------|-------------------------------------------------------------------------------------|
| CTM         | CABLE TIE MOUNT (CHRISTMAS TREE)<br>7.2MM X 30MM LONG 100/PK | PACK |  |
| CTG-C       | CABLE TIE<br>TENSIONING GUN                                  | EA   |  |

## 2.13 PLASTIC STRAPPING & WRAP

| Item Number | Description                                             | UOFM | Image                                                                                 |
|-------------|---------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| PS-12       | BLUE PLASTIC STRAPPING DISPENSER<br>PACK 12MM x 1000M   | PACK |   |
| PS-15       | BLUE PLASTIC STRAPPING DISPENSER<br>PACK 15MM x 1000M   | PACK |                                                                                       |
| PS-C        | PLASTIC STRAPPING CLIP (1000/PK)<br>FOR 12MM BLUE STRAP | PACK |  |
| PS-C15      | PLASTIC STRAPPING CLIP FOR<br>15MM BLUE STRAPPING       | 1000 |                                                                                       |
| SW-DISP     | STRETCH & BLOW<br>HAND WRAP DISPENSER (40390GL)         | ROLL |  |
| SWBL        | STRETCH WRAP HAND<br>500MMx400Mx25UM BLACK              | ROLL |  |



| Item Number | Description                                        | UOFM | Image                                                                               |
|-------------|----------------------------------------------------|------|-------------------------------------------------------------------------------------|
| WHS         | WOVEN PLASTIC HANGING STRAP<br>100MTR ROLL - BLACK | ROLL |  |
| WHS-S       | WOVEN HANGING STRP SUPPORT<br>75MM x 20M ROLL      | ROLL |  |

## 2.14 METAL BANDING & STRAPPING

| Item Number | Description                                                                | UOFM | Image                                                                                 |
|-------------|----------------------------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| AB          | BANDING 12 x 0.55MM ALUMINIUM                                              | KG   |  |
| GB          | BANDING 12 x 0.55MM GALV/KG<br>(10-12kg/roll approx)                       | KG   |                                                                                       |
| SSB         | BANDING 304 S/STEEL 12.7 x 0.45MM<br>10KG/ ROLL (approx) 20M/KG            | KG   |                                                                                       |
| SSS         | BANDING SEALS 304 S/STEEL 12MM<br>1000/BAG                                 | 1000 |  |
| AS          | BANDING SEALS ALUMINIUM 12MM<br>1000/BAG                                   | 1000 |                                                                                       |
| GS          | BANDING SEALS GALV 12MM<br>1000/BAG                                        | 1000 |                                                                                       |
| BS7605      | BANDING STAND - A-FRAME STEEL<br>STRAP DISPENSER 12-19MM<br>(RIBBON WOUND) | EA   |  |
| BTT         | BANDING<br>TENSIONING TOOL                                                 | EA   |  |

## 3 FASTENERS & FIXINGS

### 3.1 DYNA BOLTS & ANCHORS

| Item Number | Description                                                       | UOFM | Image                                                                                 |
|-------------|-------------------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| AH10-75     | DYNA BOLTS - ANCHORS 10MM x 75MM HEX NUT 8MM THREAD 100/BOX       | 100  |    |
| AH8-40      | DYNA BOLTS - ANCHORS 8MM x 40MM HEX NUT 6MM THREAD 100/BOX        | 100  |                                                                                       |
| NP6532      | NAIL IN PLUG (METAL) 6.5MM x 32MM MUSHROOM HEAD 100/BOX           | 100  |   |
| NP6550      | NAIL IN PLUG (METAL) 6.5MM x 50MM MUSHROOM HEAD 100/BOX           | 100  |                                                                                       |
| NPN6532     | NAIL IN PLUG (NYLON/METAL PIN) 6.5MM x 32MM MUSHROOM HEAD 100/BOX | 100  |  |
| PW10-30     | PARRAWEDGE M10x30mm DROP IN ANCHOR 50/BOX                         | 50   |  |
| PW10        | PARRAWEDGE M10x40mm DROP IN ANCHOR 100/BOX                        | 100  |                                                                                       |
| PW12        | PARRAWEDGE M12x57 (DROP IN ANCHOR) 100/BOX                        | 100  |  |
| PW6         | PARRAWEDGE M6 (DROP IN ANCHOR) 100/BOX                            | 100  |                                                                                       |

| Item Number | Description                                         | UOFM | Image                                                                                |
|-------------|-----------------------------------------------------|------|--------------------------------------------------------------------------------------|
| PW8         | PARRAWEDGE M8 (DROP IN ANCHOR)<br>100/BOX           | 100  |   |
| PWST1038    | PARRAWEDGE SETTING TOOL FOR<br>10MM DROP IN ANCHORS | EACH |   |
| ZIPITZ      | ZIP IT WALL BOARD ANCHOR Z/P<br>(SCREW GAUGE 6-10)  | 100  |  |


## 3.2 THREADED ROD

| Item Number | Description                                           | UOFM | Image                                                                                 |
|-------------|-------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| TRG12       | THREADED ROD H D GALV 12MM x 3M                       | EA   |  |
| TRG10       | THREADED ROD H D GALV 10MM x 3M                       | EA   |                                                                                       |
| TR12        | THREADED ROD Z/P 12MM x 3M 5/PK                       | PACK |                                                                                       |
| TR10        | THREADED ROD Z/P 10MM x 3M 10/PK                      | PACK |                                                                                       |
| TR8         | THREADED ROD Z/P 8MM x 3M 10/PK                       | PACK |                                                                                       |
| TR6         | THREADED ROD Z/P 6MM x 3M 20/PK                       | PACK |                                                                                       |
| TRC         | THREADED ROD CUTTER INCL DIE FOR<br>10MM THREADED ROD | EA   |  |

### 3.3 HEX COUPLER/JOINERS

| Item Number | Description                    | UOFM | Image                                                                               |
|-------------|--------------------------------|------|-------------------------------------------------------------------------------------|
| HC12        | ALLTHREAD HEX COUPLER 12MM Z/P | EA   |  |
| HC10        | ALLTHREAD HEX COUPLER 10MM Z/P | EA   |                                                                                     |
| HC8         | ALLTHREAD HEX COUPLER 8MM Z/P  | EA   |                                                                                     |
| HC6         | ALLTHREAD HEX COUPLER 6MM Z/P  | EA   |                                                                                     |

### 3.4 STICK PINS & HANGERS

| Item Number | Description                                | UOFM | Image                                                                                 |
|-------------|--------------------------------------------|------|---------------------------------------------------------------------------------------|
| PH110       | PERFORATED HANGER PIN & CLIP<br>110MM LONG | EA   |  |
| PH62        | PERFORATED HANGER PIN & CLIP<br>62MM LONG" | EA   |                                                                                       |
| PH32        | PERFORATED HANGER PIN & CLIP               | EA   |                                                                                       |
| SP110       | STICK PIN 110MM LONG<br>WITH SPEED CLIP    | EA   |  |
| SP90        | STICK PIN 90MM LONG<br>WITH SPEED CLIP     | EA   |                                                                                       |
| SP62        | STICK PIN 62MM LONG<br>WITH SPEED CLIP     | EA   |                                                                                       |
| SP44        | STICK PIN 44MM LONG<br>WITH SPEED CLIP     | EA   |                                                                                       |
| SP33        | STICK PIN 33MM LONG<br>WITH SPEED CLIP     | EA   |                                                                                       |

### 3.5 TECH SCREWS

| Item Number | Description                                             | UOFM | Image                                                                                |
|-------------|---------------------------------------------------------|------|--------------------------------------------------------------------------------------|
| TS8-12BH    | BUTTON HEAD TECH SCREW PHILLIPS DRIVE 8G x 18TPI x 12MM | 1000 |  |
| TS8-12      | TECH SCREW HEX HEAD 1/4 inch SILVER 8G-18TPI x 12MM     | 1000 |                                                                                      |
| TS16-16     | TECH SCREW HEX HEAD 5/16 inch SILVER 10G-16TPI x 16MM   | 1000 |                                                                                      |
| TS16-25     | TECH SCREW HEX HEAD 5/16 inch ZP 10G-16TPI x 25MM       | 1000 |                                                                                      |

### 3.6 SOCKETS & SCREW TIPS

| Item Number | Description                                                 | UOFM | Image                                                                                 |
|-------------|-------------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| PTL         | PHILLIPS LONG SHANK TIP (50MM LONG)                         | EA   |  |
| PT2D        | PHILLIPS TIP FOR PTS8-12 DOUBLE ENDED                       | EA   |                                                                                       |
| MS14L       | SOCKET - TECH SCREW MAGNETIC 1/4 inch FOR TS8-12 LONG SHANK | EA   |                                                                                       |
| MS516       | SOCKET - TECH SCREW MAGNETIC 5/16 inch FOR TS16-16          | EA   |                                                                                       |
| MS14        | SOCKET - TECH SCREW MAGNETIC FOR TS8-12                     | EA   |                                                                                       |

### 3.7 NUTS AND HEX HEAD BOLTS

| Item Number | Description                                      | UOFM | Image                                                                                |
|-------------|--------------------------------------------------|------|--------------------------------------------------------------------------------------|
| B1030N      | BOLT ( SET SCREW ) - NYLON<br>10MM x 30MM 100/PK | 100  |   |
| B825N       | BOLT ( SET SCREW ) - NYLON<br>8MM x 25MM 100/PK  | 100  |                                                                                      |
| NB12        | NUT & BOLT Z/P<br>12MM x 25MM 100/PK             | 100  |  |
| NB10        | NUT & BOLT Z/P<br>10MM x 25MM 150/CTN            | CTN  |                                                                                      |
| NB8         | NUT & BOLT Z/P<br>8MM x 25MM 200/PK              | 200  |                                                                                      |
| NB6         | NUT & BOLT Z/P<br>6MM x 25MM 100/PK              | 100  |                                                                                      |

### 3.8 NUTS AND CUP HEAD BOLTS

| Item Number | Description                                   | UOFM | Image                                                                                 |
|-------------|-----------------------------------------------|------|---------------------------------------------------------------------------------------|
| NCHB10      | NUT & CUP HEAD BOLT Z/P<br>10MM x 30MM 200/PK | 200  |  |
| NCHB8       | NUT & CUP HEAD BOLT Z/P<br>8MM x 30MM 200/PK  | 200  |                                                                                       |
| NCHB6       | NUT & CUP HEAD BOLT Z/P<br>6MM x 30MM 200/PK  | 200  |                                                                                       |



### 3.9 HEX, WING, WEDGE NUTS

| Item Number | Description                      | UOFM | Image                                                                                 |
|-------------|----------------------------------|------|---------------------------------------------------------------------------------------|
| MN12        | NUTS 12MM - Z/P 100/PK           | 200  |    |
| MN10        | NUTS 10MM - Z/P 200/PK           | 100  |                                                                                       |
| MN8         | NUTS 8MM - Z/P 100/PK            | 100  |                                                                                       |
| MN6         | NUTS 6MM - Z/P 100/PK            | 100  |                                                                                       |
| MN10N       | NUTS M10 - NYLON HEX HEAD 100/PK | CTN  |    |
| MN8N        | NUTS M8 - NYLON HEX HEAD 100/PK  | CTN  |                                                                                       |
| W10N        | WASHER M10 - NYLON 100/PK        | 100  |   |
| WGN10       | WEDGE NUTS 10MM THREAD 100/PK    | 100  |                                                                                       |
| WGN6        | WEDGE NUTS 6MM THREAD            | 100  |                                                                                       |
| WGN8        | WEDGE NUTS 8MM THREAD            | 100  |                                                                                       |
| WN6         | WING NUTS 6MM Z/P 100/PK         | 100  |  |

### 3.10 WASHERS

| Item Number | Description                                 | UOFM | Image                                                                                 |
|-------------|---------------------------------------------|------|---------------------------------------------------------------------------------------|
| W12         | WASHER - FLAT 12MM<br>Z/P 200/PK            | 200  |  |
| W10         | WASHER - FLAT 10MM<br>Z/P 500/PK            | 500  |                                                                                       |
| W8          | WASHER - FLAT 8MM (5/16 inch)<br>Z/P 500/PK | 500  |                                                                                       |
| MW10        | WASHER - MUDGUARD 3/8/1.25<br>(10MM) 200/PK | 200  |  |
| W10N        | WASHER NYLON<br>M10 200PK                   | 200  |  |

### 3.11 DRILL BITS

| Item Number | Description                                                   | UOFM | Image                                                                                 |
|-------------|---------------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| DB-12       | DRILL BIT - JOBBER - 12MM                                     | EA   |    |
| DB-10       | DRILL BIT - JOBBER - 10MM                                     | EA   |                                                                                       |
| DB-8        | DRILL BIT - JOBBER - 8MM                                      | EA   |                                                                                       |
| DB-6        | DRILL BIT - JOBBER - 6MM                                      | EA   |                                                                                       |
| DBD-30      | DRILL BIT - NO 30 (1/8")<br>DOUBLE ENDED                      | EA   |   |
| DBD-20      | DRILL BIT - NO 20 (5/32")<br>DOUBLE ENDED (SERIES 5 RIVET)    | EA   |                                                                                       |
| DBD-11      | DRILL BIT - NO 11 (3/16")<br>DOUBLE ENDED (SERIES 6 RIVET)    | EA   |                                                                                       |
| DB-30       | DRILL BIT - STUB NO 30<br>SINGLE END (1/8")                   | EA   |  |
| DB11        | DRILL BIT - STUB NO 11<br>SINGLE END (3/16") (SERIES 6 RIVET) | EA   |                                                                                       |

### 3.12 MASONRY DRILL BITS (other sizes available on request)

| Item Number | Description                                             | UOFM | Image                                                                                 |
|-------------|---------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| HDB10100    | DRILL BIT - HAMMER MULTIFIT<br>10MM x 160MM LONG        | EA   |  |
| HDB12100    | DRILL BIT - HAMMER MULTIFIT<br>12MM x 160MM LONG        | EA   |                                                                                       |
| HDB6550     | DRILL BIT - HAMMER MULTIFIT<br>6.5MM x 110MM LONG       | EA   |                                                                                       |
| HDB65100    | DRILL BIT - HAMMER MULTIFIT<br>6.5MM x 160MM LONG       | EA   |                                                                                       |
| HDB8100     | DRILL BIT - HAMMER MULTIFIT<br>8MM (5/16") x 160MM LONG | EA   |                                                                                       |



### 3.13 RAWL SPIKES

| Item Number | Description                    | UOFM | Image                                                                               |
|-------------|--------------------------------|------|-------------------------------------------------------------------------------------|
| SMH532      | SPIKE MUSHROOM HEAD 5 x 32MM   | 100  |  |
| SMH6538     | SPIKE MUSHROOM HEAD 6.5 x 38MM | 100  |                                                                                     |
| SMH6550     | SPIKE MUSHROOM HEAD 6.5 x 50MM | 100  |                                                                                     |
| SMH6563     | SPIKE MUSHROOM HEAD 6.5 x 63MM | 100  |                                                                                     |
| SMH6575     | SPIKE MUSHROOM HEAD 6.5 x 75MM | 100  |                                                                                     |

### 3.14 CUT-OFF WHEELS

| Item Number | Description                                         | UOFM | Image                                                                                 |
|-------------|-----------------------------------------------------|------|---------------------------------------------------------------------------------------|
| COW115-1    | CUT OFF WHEEL<br>115x1x22                           | EA   |  |
| COW115      | CUT OFF WHEEL TRU-CUT<br>115x2.5x22                 | EA   |                                                                                       |
| COW100-1    | CUT OFF WHEEL - ULTRA THIN<br>100x1x16mm            | EA   |                                                                                       |
| COW125-1    | CUT OFF WHEEL - ULTRA THIN<br>125x1x22mm            | EA   |                                                                                       |
| COW101      | CUT OFF WHEEL<br>100x2.5x16                         | EA   |                                                                                       |
| COW127      | CUT OFF WHEEL<br>125x2.5x22                         | EA   |  |
| COW350      | CUT OFF WHEEL<br>350x3x25MM                         | EA   |                                                                                       |
| COWS125     | CUT OFF WHEEL FOR STAINLESS STEEL<br>125x1.6x22.2MM | EA   |                                                                                       |

### 3.15 RIVET ALUMINIUM/STEEL (AS)

| Item Number | Description                 | UOFM | Image                                                                                |
|-------------|-----------------------------|------|--------------------------------------------------------------------------------------|
| PR-4-2      | RIVET - ALUMINIUM (AS) 4-2  | 1000 |  |
| PR-4-3      | RIVET - ALUMINIUM (AS) 4-3  | 1000 |                                                                                      |
| PR-4-4      | RIVET - ALUMINIUM (AS) 4-4  | 1000 |                                                                                      |
| PR-4-6      | RIVET - ALUMINIUM (AS) 4-6  | 1000 |                                                                                      |
| PR-4-8      | RIVET - ALUMINIUM (AS) 4-8  | 1000 |                                                                                      |
| PR-4-10     | RIVET - ALUMINIUM (AS) 4-10 | 1000 |                                                                                      |
| PR-6-2      | RIVET - ALUMINIUM 6-2       | 1000 |                                                                                      |
| PR-6-4      | RIVET - ALUMINIUM 6-4       | 1000 |                                                                                      |
| PR-6-5      | RIVET - ALUMINIUM (AS) 6-5  | 1000 |                                                                                      |
| PR-6-6      | RIVET - ALUMINIUM 6-6       | 1000 |                                                                                      |
| PR-6-8      | RIVET - ALUMINIUM (AS) 6-8  | 1000 |                                                                                      |

### 3.16 RIVET STEEL/STEEL (SS)

| Item Number | Description            | UOFM | Image                                                                                 |
|-------------|------------------------|------|---------------------------------------------------------------------------------------|
| PRSS-4-2    | RIVET - STEEL (SS) 4-2 | 1000 |  |
| PRSS-4-3    | RIVET - STEEL (SS) 4-3 | 1000 |                                                                                       |
| PRSS-4-4    | RIVET - STEEL (SS) 4-4 | 1000 |                                                                                       |
| PRSS-4-6    | RIVET - STEEL (SS) 4-6 | 1000 |                                                                                       |
| PRSS-4-8    | RIVET - STEEL (SS) 4-8 | 1000 |                                                                                       |
| PRSS-6-4    | RIVET - STEEL (SS) 6-4 | 1000 |                                                                                       |

### 3.17 RIVET STAINLESS STEEL (STST)

| Item Number | Description                              | UOFM | Image                                                                               |
|-------------|------------------------------------------|------|-------------------------------------------------------------------------------------|
| PRS-4-4     | RIVET - STAINLESS STEEL 304<br>GRADE 4-4 | 1000 |  |

### 3.18 RIVET GUN

| Item Number | Description                    | UOFM | Image                                                                               |
|-------------|--------------------------------|------|-------------------------------------------------------------------------------------|
| PRG-P       | RIVET - GUN TOOL TT55D ( POP ) | EA   |  |

### 3.19 WELD PINS & SPEED CLIPS

| Item Number | Description                                    | UOFM | Image                                                                                 |
|-------------|------------------------------------------------|------|---------------------------------------------------------------------------------------|
| CIN25       | CAIN INSULATION NAIL<br>25MM X 3.7MM 5000 BKT  | 5000 |  |
| CIN38       | CAIN INSULATION NAIL<br>38MM X 3.79MM 3000 BKT | 3000 |                                                                                       |
| CIN50       | CAIN INSULATION NAIL<br>50MM X 3.7MM 3000 BKT  | 3000 |                                                                                       |
| WP-19       | CD WELD PINS 19MM                              | 1000 |  |
| WP-32       | CD WELD PINS 32MM                              | 1000 |                                                                                       |
| WP-44       | CD WELD PINS 44MM                              | 1000 |                                                                                       |
| WP-55       | CD WELD PINS 55MM                              | 1000 |                                                                                       |
| WP-82       | CD WELD PINS 82MM                              | 1000 |                                                                                       |
| WP-106      | CD WELD PINS 106MM                             | 1000 |                                                                                       |

| Item Number | Description                                         | UOFM | Image                                                                                |
|-------------|-----------------------------------------------------|------|--------------------------------------------------------------------------------------|
| WP-SC       | CD WELD PINS SPEED CLIPS<br>.105 1"X1.25"           | 1000 |  |
| WP-TC       | CD WELD PINS THUMB CLIPS BLACK<br>PLASTIC .105x40MM | 1000 |                                                                                      |
| KIN25       | INSULATION NAIL<br>25MM X 2.06MM 2000/BOX           | 2000 |                                                                                      |
| KIN38       | INSULATION NAIL<br>38MM 1000/BOX                    | 1000 |                                                                                      |
| KIN50       | INSULATION NAIL<br>50MM X 2.06MM 1000/BOX           | 1000 |                                                                                      |
| IN75        | INSULATION NAIL<br>75MM 1000/BOX                    | 1000 |                                                                                      |
| IN100       | INSULATION NAIL<br>100MM 1000/BOX                   | 1000 |                                                                                      |

### 3.20 WELD PINS – EQUIPMENT


| Item Number | Description                                      | UOFM | Image                                                                                 |
|-------------|--------------------------------------------------|------|---------------------------------------------------------------------------------------|
| KCD         | BULLET TYPE CHUCK .105 COPPER                    | EA   |  |
| L7          | CD GUN 7 inch LEG<br>COMPLETE WITH BRASS WASHERS | EA   |  |
| ER          | CHUCK J TYPE .105 (STEEL)                        | EA   |  |

| Item Number | Description                                                          | UOFM | Image                                                                                 |
|-------------|----------------------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| GTS         | GRIPNAIL TRIGGER SWITCH                                              | EA   |    |
| UWT         | GRIPNAIL UPPER WELD TIP                                              | EA   |    |
| WTH         | GRIPNAIL WELD TIP HOLDER                                             | EA   |    |
| LBS44       | INSULATION CD NAIL WELDER - LBS44<br>(INSULATION NAIL GUN)           | EA   |   |
| CD1000      | INSULATION PIN WELDER (STUD GUN)<br>CD1000                           | EA   |  |
| KCD-CGA     | KCD CHUCK GUARD ASSEMBLY - BLACK<br>INCL SPRING & BRASS NOZZLE       | EA   |  |
| 8-008       | KCD WELD GUN LEGS                                                    | EA   |  |
| CD2TS       | TRIGGER SWITCH (OLD MODEL - LONG)<br>FOR CD GUN - CD1000 3 PIECE SET | SET  |  |
| CD1TS       | TRIGGER SWITCH FOR CD GUN<br>CD1000 (NEWER MODEL - ROUND)            | EA   |  |

## 4 HANGERS

### 4.1 HANGERS & CLAMPS

| Item Number | Description                                                      | UOFM | Image                                                                                 |
|-------------|------------------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| TK10        | BOLT ON BEAM CLAMP FOR 10MM ROD 250KG LOAD                       | EA   |    |
| TK12        | BOLT ON BEAM CLAMP FOR 12MM ROD 400KG LOAD                       | EA   |    |
| ZB-U        | DUCT HANGER Z BRACKET Z/P<br>SUIT 8, 10, 12 & 14MM ROD 100/CTN   | CTN  |   |
| HMP10       | HORIZONTAL MOUNTING PLATE<br>WITH 10MM THREAD Z/P                | 50   |  |
| E2-8        | PURLIN CLAMP 70KG LOAD<br>WITH 8MM LOK NUT                       | 100  |  |
| E2-10       | PURLIN CLAMP 70KG LOAD<br>WITH 10MM LOK NUT                      | 100  |                                                                                       |
| E2-12       | PURLIN CLAMP 70KG LOAD<br>WITH 12MM LOK NUT                      | 100  |                                                                                       |
| VF14        | PURLIN CLIP VERT - 45KG LOAD<br>CLIP SIZE 1.5-6MM                | 100  |  |
| VF14M10TI   | PURLIN CLIP VERT.70KG LOAD CLIP<br>SIZE 1.5-6MM WITH 10MM THREAD | 100  |                                                                                       |
| VF14M6TI    | PURLIN CLIP VERT.70KG LOAD CLIP<br>SIZE 1.5-6MM WITH 6MM THREAD  | 100  |                                                                                       |
| VF14M8TI    | PURLIN CLIP VERT.70KG LOAD CLIP<br>SIZE 1.5-6MM WITH 8MM THREAD  | 100  |                                                                                       |
| VMP10       | VERTICAL MOUNTING PLATE<br>WITH 10MM THREAD Z/P                  | 100  |  |
| VSC10       | VERTIGO SOCKET DRIVER CONCRETE<br>10MM (BLUE)                    | EA   |  |

| Item Number | Description                                                        | UOFM | Image                                                                                 |
|-------------|--------------------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| VSU         | VERTIGO SOCKET DRIVER UNIVERSAL METAL/WOOD (RED) 10MM (7187)       | EA   |    |
| VSHS-10     | VERTIGO SIDE HANGER 10MM WITH NUTS 20 X 25mm FOR STEEL             | 100  |    |
| VHC10       | VERTIGO VERTICAL HANGER 10MM FOR CONCRETE (6.5mm hole size x 38mm) | 100  |    |
| VHS10       | VERTIGO VERTICAL HANGER 10MM WITH NUTS 20 X 25mm FOR STEEL         | 100  |   |
| VHW10       | VERTIGO VERTICAL HANGER 10MM WITH NUTS FOR WOOD                    | 100  |  |
| VHS8        | VERTIGO VERTICAL HANGER 8MM WITH NUTS FOR STEEL                    | 100  |  |

## 4.2 CHANNEL STRUT NUTS

| Item Number | Description                                      | UOFM | Image                                                                                 |
|-------------|--------------------------------------------------|------|---------------------------------------------------------------------------------------|
| SN6         | "STRUT NUT 6MM LONG SPRING FOR ESG41 STRUT"      | 100  |  |
| SN8         | "STRUT NUT 8MM LONG SPRING FOR ESG41 STRUT"      | 100  |                                                                                       |
| SN10        | STRUT NUT 10MM LONG SPRING FOR SG41 STRUT 100/PK | 100  |                                                                                       |
| SN12        | "STRUT NUT 12MM LONG SPRING FOR ESG41 STRUT"     | 100  |                                                                                       |



## 4.3 CHANNELS & ANGLES

| Item Number | Description                                                                  | UOFM | Image                                                                                 |
|-------------|------------------------------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| EA3030S     | ANGLE - DURAGAL 30 x 30MM - 2.5MM SLOTTED 3MTR                               | EA   |    |
| FM1546      | ANGLE BRACKET HDG 45 DEG.<br>76MM x 60MM (40MM WIDE X 6MM)<br>14MM DIA HOLES | EA   |    |
| ZWA200      | CADDY ANGLE BRACKET HDG<br>50MM x 48MM x 5MM x 14MM DIA<br>HOLES             | EA   |    |
| ZWA205      | CADDY ANGLE BRACKET HDG<br>50MMx48MMx6MM 4 HOLES 14MM DIA                    | EA   |   |
| ZWA207      | CADDY REINFORCED ANGLE BRACKET<br>HDG 102MMx86MMx6MM 4 HOLES<br>14MM DIA     | EA   |  |
| SG21        | STRUT 41x25 - 2.5MM CHANNEL HDG<br>3MTR                                      | LGTH |  |
| SG21S-6     | STRUT 41x25 - 2.5MM CHANNEL<br>SLOTTED HDG 6MTR                              | LGTH |  |
| SG41        | STRUT 41x41 - 2.5MM CHANNEL HDG<br>3MTR                                      | LGTH |  |
| SG41-6      | STRUT 41x41 - 2.5MM CHANNEL HDG<br>6MTR                                      | LGTH |  |
| SG41S       | "STRUT 41x41 - 2.5MM CHANNEL<br>SLOTTED HDG 3MTR"                            | LGTH |  |
| SG41S-6     | "STRUT 41x41 - 2.5MM CHANNEL<br>SLOTTED HDG 6MTR"                            | LGTH |  |



| Item Number | Description                                                        | UOFM | Image                                                                                 |
|-------------|--------------------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| 1186        | STRUT ANGLE FITTING<br>45DEG INTERNAL                              | EA   |    |
| CB750       | STRUT CANTILEVER BRACKET<br>750MM LONG                             | EA   |    |
| CBB600      | STRUT CANTILEVER BRACKET<br>BRACED 780MM LONG                      | EA   |   |
| SG41-EC     | STRUT END CAP<br>FOR 41MM X 41MM STRUT                             | EA   |   |
| SG21-EC     | STRUT END CAP<br>FOR 41x25 STRUT                                   | EA   |  |
| SJ4         | STRUT JOINER HDG 186MM X 2MM X 4<br>HOLES 14MM FOR 41 X 41MM STRUT | EA   |  |
| PBPS41      | STRUT POST BASE PLATE (small)<br>100 X 100 X 40MM FOR STRUT        | EA   |  |
| PBP41       | STRUT POST BASE PLATE 150 X 150 X<br>100MM FOR 41 X 41 MM STRUT    | EA   |  |
| SSW-40      | STRUT SQUARE WASHER - PLATE HDG<br>40X40X6MM WITH 14MM HOLE        | EA   |  |

## 5 TAPES

### 5.1 FOIL TAPE

| Item Number | Description                              | UOFM | Image                                                                               |
|-------------|------------------------------------------|------|-------------------------------------------------------------------------------------|
| 493-48      | TAPE - PPC REINFORCED FOIL<br>48MM x 50M | ROLL |  |
| 493-72      | TAPE - PPC REINFORCED FOIL<br>27MM x 50M | ROLL |                                                                                     |
| 493-96      | TAPE - PPC REINFORCED FOIL<br>96MM x 50M | ROLL |                                                                                     |

### 5.2 DUCT TAPE

| Item Number | Description                                    | UOFM | Image                                                                                 |
|-------------|------------------------------------------------|------|---------------------------------------------------------------------------------------|
| JTB         | TAPE - JOINING 48MM x 30M x .13MM<br>BLACK PVC | ROLL |  |
| JT-48       | TAPE - JOINING 48MM x 30M x .15MM<br>GREY PVC  | ROLL |                                                                                       |

### 5.3 DUCT GUARD

| Item Number | Description                                 | UOFM | Image                                                                                 |
|-------------|---------------------------------------------|------|---------------------------------------------------------------------------------------|
| DG-600      | DUCTGUARD PROTECTION FILM<br>600MM X 60MTS  | ROLL |  |
| DG-900      | DUCTGUARD PROTECTION FILM<br>900MM X 60MTS  | ROLL |                                                                                       |
| DG-1200     | DUCTGUARD PROTECTION FILM<br>1200MM X 60MTR | ROLL |                                                                                       |
| DG-1500     | DUCTGUARD PROTECTION FILM<br>1500MM X 60MTS | ROLL |                                                                                       |

| Item Number | Description                                  | UOFM | Image                                                                               |
|-------------|----------------------------------------------|------|-------------------------------------------------------------------------------------|
| FT1210      | TAPE - PE FOAM 12 x 10MM x 10M               | ROLL |  |
| FT125L      | TAPE - PE FOAM LINERLESS<br>12MM x 5MM x 15M | ROLL |                                                                                     |
| FT185L      | TAPE - PE FOAM LINERLESS<br>18MM x 5MM x 15M | ROLL |                                                                                     |
| FT245L      | TAPE - PE FOAM LINERLESS<br>24MM x 5MM x 15M | ROLL |                                                                                     |
| FT355L      | TAPE - PE FOAM LINERLESS<br>35MM x 5MM x 15M | ROLL |                                                                                     |

## 6 ADHESIVES AND SEALANTS

### 6.1 SOLDER STICKS

| Item Number | Description                                      | UOFM | Image                                                                               |
|-------------|--------------------------------------------------|------|-------------------------------------------------------------------------------------|
| SS50        | SOLDER STICK 50/50 LEAD/TIN<br>(4 STICKS PER KG) | KG   |  |
| SF1000      | SOLDERING FLUID 1 LTR                            | EA   |                                                                                     |

### 6.2 SEALANTS

| Item Number | Description                                                       | UOFM | Image                                                                                 |
|-------------|-------------------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| WBDS-C      | DUCT SEALANT - WATER BASED<br>420G CARTRIDGE                      | EA   |   |
| 1128        | BOSTIK 1128 HEAT TRANSFER SEALER<br>(THERMO PUTTY) 460G CARTRIDGE | EA   |                                                                                       |
| 3036        | FOSTER 30-36 SEALFAS VAPOUR COAT<br>JOINT SEALER 4L               | EA   |  |
| BAG         | SEALANT - (CLEAR ) MAX SEAL<br>WET, DRY OR OILY SURFACES 270G     | EA   |  |
| SF1         | SEALANT - FULLERS TOOLBOX<br>SEAL AND FLEX                        | EA   |  |

| Item Number | Description                                                       | UOFM | Image                                                                                 |
|-------------|-------------------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| GAP         | SEALANT - FILL-A-GAP 300ML TUBE<br>WHITE (NO MORE GAPS) PAINTABLE | EA   |    |
| FB600       | SEALANT - FIREBAN 1 POLYURETHANE<br>4HR FIRE RATED 600ML          | EA   |    |
| FC300       | SEALANT - FIRESOUND ACRYLIC<br>4HR FIRE RATED 450G FOR JOINTS     | EA   |   |
| LIM310      | SEALANT - INTUMESCENT MASTIC<br>310ML CARTIDGE - GREY             | EA   |  |
| SC300       | SEALANT - SILICONE<br>CLEAR NON ACETIC 300ML                      | EA   |  |
| SG300       | SEALANT - SILICONE GREY<br>NON ACETIC 300ML                       | EA   |                                                                                       |
| SS300       | SEALANT - SILICONE SILVER<br>NON ACETIC 300ML                     | EA   |                                                                                       |
| WBDS        | WATER BASED DUCT SEALANT                                          | EA   |  |

## 6.3 PAINT BRUSHES

| Item Number | Description          | UOFM | Image                                                                               |
|-------------|----------------------|------|-------------------------------------------------------------------------------------|
| PB1         | BRUSH - 1 inch PAINT | EA   |  |
| PB2         | BRUSH - 2 inch PAINT | EA   |  |

## 6.4 ADHESIVES

| Item Number | Description                                        | UOFM | Image                                                                                 |
|-------------|----------------------------------------------------|------|---------------------------------------------------------------------------------------|
| 252         | ADHESIVE 252 WATER BASED / LTR                     | EA   |  |
| CB1         | ADHESIVE BOSTIK CONTACT<br>1LTR KWIKGRIP           | EA   |  |
| AD20        | ADHESIVE BRUSH/SPRAY GRADE<br>(1831 BLUE) 20LTR    | EA   |  |
| AA          | MULTI-PURPOSE AEROSOL ADHESIVE<br>(IDENDEN 10-323) | EA   |  |
| LN          | NO MORE NAILS ADHESIVE<br>320 GRAMS                | EA   |  |

## 6.5 PAINTS & COATINGS

| Item Number | Description                                   | UOFM | Image                                                                                 |
|-------------|-----------------------------------------------|------|---------------------------------------------------------------------------------------|
| BMP         | BLACK MARKER PEN BULLET PT<br>PERMANENT 2.0MM | EA   |    |
| CUP-MB250   | COVER UP PAINT<br>MATT BLACK - 250G           | EA   |    |
| SEP         | SPRAY - SILVER/GAL<br>COTE ENAMEL (400ML)     | EA   |   |
| ZGS-400     | ZINC RICH GALVANISING AEROSOL                 | EA   |  |
| WDS         | SPRAY - SUPA SQUIRT W.D.<br>WITH TEFLON 400G  | EA   |  |
| 1247        | TDF SPRAY                                     | EA   | NO IMAGE<br>AVAILABLE                                                                 |

## 7 SPIGOTS

### 7.1 SPIGOTS WITHOUT DAMPER

| Item Number | Description  | UOFM | Image                                                                               |
|-------------|--------------|------|-------------------------------------------------------------------------------------|
| S150        | SPIGOT 150MM | EA   |  |
| S200        | SPIGOT 200MM | EA   |                                                                                     |
| S250        | SPIGOT 250MM | EA   |                                                                                     |
| S300        | SPIGOT 300MM | EA   |                                                                                     |
| S350        | SPIGOT 350MM | EA   |                                                                                     |
| S400        | SPIGOT 400MM | EA   |                                                                                     |
| S450        | SPIGOT 450MM | EA   |                                                                                     |

### 7.2 SPIGOTS WITH DAMPER

| Item Number | Description                                   | UOFM | Image                                                                                 |
|-------------|-----------------------------------------------|------|---------------------------------------------------------------------------------------|
| OS200       | OVAL SPIGOT WITH DAMPER<br>200MM PRESS ON     | EA   |  |
| OS250       | OVAL SPIGOT WITH DAMPER<br>250MM PRESS ON     | EA   |                                                                                       |
| OS300       | OVAL SPIGOT WITH DAMPER<br>300MM PRESS ON     | EA   |                                                                                       |
| OS350       | OVAL SPIGOT WITH DAMPER<br>350MM PRESS ON     | EA   |                                                                                       |
| EC150       | SPIGOT END CAP 150MM                          | EA   |  |
| EC200       | SPIGOT END CAP 200MM                          | EA   |                                                                                       |
| EC250       | SPIGOT END CAP 250MM                          | EA   |                                                                                       |
| SDR150      | SPIGOT WITH DAMPER & RAISED<br>QUADRANT 150MM | EA   |  |
| SDR200      | SPIGOT WITH DAMPER & RAISED<br>QUADRANT 200MM | EA   |                                                                                       |
| SDR250      | SPIGOT WITH DAMPER & RAISED<br>QUADRANT 250MM | EA   |                                                                                       |



| Item Number      | Description                                | UOFM | Image                                                                                 |
|------------------|--------------------------------------------|------|---------------------------------------------------------------------------------------|
|                  | SPIGOT WITH DAMPER & RAISED QUADRANT 300MM | EA   |    |
| SDR350<br>SDR300 | SPIGOT WITH DAMPER & RAISED QUADRANT 350MM | EA   |                                                                                       |
| SDR400           | SPIGOT WITH DAMPER & RAISED QUADRANT 400MM | EA   |                                                                                       |
| SDR450           | SPIGOT WITH DAMPER & RAISED QUADRANT 450MM | EA   |                                                                                       |
| SDR500           | SPIGOT WITH DAMPER & RAISED QUADRANT 500MM | EA   | AS ABOVE                                                                              |
| RS200            | ROUND PRESS ON SPIGOT WITH DAMPER 200MM    | EA   |  |
| RS250            | ROUND PRESS ON SPIGOT WITH DAMPER 250MM    | EA   |                                                                                       |
| RS300            | ROUND PRESS ON SPIGOT WITH DAMPER 300MM    | EA   |                                                                                       |

## 7.3 GRILLE SPRINGS

| Item Number | Description                               | UOFM | Image                                                                                 |
|-------------|-------------------------------------------|------|---------------------------------------------------------------------------------------|
| GS90-20     | GRILLE SPRING 90MM Z/P 20/PK              | PACK |  |
| GS3         | GRILLE SPRING HEAVY GAUGE 75mm Z/P 100/PK | PACK |                                                                                       |

## 8 ACOUSTIC MATERIALS

### 8.1 BARRIER/ABSORBER

| Item Number | Description                                                                 | UOFM | Image                                                                               |
|-------------|-----------------------------------------------------------------------------|------|-------------------------------------------------------------------------------------|
| AM24BF8     | ACOUSTIC MULTIGRADE 1000x1300<br>6MM x 8KG BARRIER x 24MM<br>+ FOIL FACED   | SHT  |  |
| AM24BF4     | ACOUSTIC MULTIGRADE 2200x1300<br>6MM x 4.5KG BARRIER x 24MM<br>+ FOIL FACED | SHT  |                                                                                     |
| AM12BF4     | ACOUSTIC MULTIGRADE 2200x1300<br>6MM x 4.5KG BARRIER x 12MM<br>+ FOIL FACED | SHT  |                                                                                     |

### 8.2 PIPE LAGGING

| Item Number | Description                                         | UOFM | Image                                                                                 |
|-------------|-----------------------------------------------------|------|---------------------------------------------------------------------------------------|
| PFL825      | ACOUSTIC FLEXILAG<br>1350MMx3000MMx25MM<br>FOAM 8KG | ROLL |  |
| PFL4512     | ACOUSTIC FLEXILAG<br>1350MMx5000MMx12MM<br>FOAM     | ROLL |                                                                                       |
| PFL4525     | ACOUSTIC FLEXILAG<br>1350MMx5000MMx25MM<br>FOAM 4KG | ROLL |                                                                                       |

### 8.3 NOISE BARRIERS

| Item Number | Description                                                                               | UOFM | Image                                                                                 |
|-------------|-------------------------------------------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| AW4         | ACOUSTIC NOISE BARRIER<br>1350MM x 10M<br>4KG/M2 WITH POLYESTER SCRIM<br>BACKING (13.5M2) | ROLL |  |
| AW8         | ACOUSTIC NOISE BARRIER<br>1350MM x 10M<br>8KG/M2 WITH POLYESTER SCRIM<br>BACKING (13.5M2) | ROLL |                                                                                       |

## 8.4 WAFFLE PADS


| Item Number | Description                                                                        | UOFM | Image                                                                               |
|-------------|------------------------------------------------------------------------------------|------|-------------------------------------------------------------------------------------|
| WP          | NEOPRENE ISOLATION WAFFLE PAD<br>(RED/ORANGE) - SHEARFLEX<br>10.5MM x 450x450      | EA   |  |
| RWP         | RUBBER EPDM ISOLATION<br>WAFFLE PAD (BLACK)<br>9MM x 450MM x 450MM                 | EA   |  |
| SWP-BLUE    | SUPERSHEARFLEX ISOLATION<br>WAFFLE PAD (BLUE 70-450KPA)<br>17MM x 450MM x 450MM    | EA   | NO IMAGE<br>AVAILABLE                                                               |
| SWP-GREEN   | SUPERSHEARFLEX ISOLATION WAFFLE<br>PAD (GREEN 150-1050KPA)<br>17MM x 450MM x 450MM | EA   | NO IMAGE<br>AVAILABLE                                                               |

## 9 FIRE PROTECTION

### 9.1 FIRE DAMPER STRIP

| Item Number | Description                                              | UOFM | Image                                                                                |
|-------------|----------------------------------------------------------|------|--------------------------------------------------------------------------------------|
| FDS         | FIRE DAMPER STRIP 750x225x13 60/PK                       | PACK |  |
| FDSEF       | FIRE DAMPER STRIP ENCAPSULATED H/D FOIL 750x225x13 60/PK | PACK |                                                                                      |
| FDSF        | FIRE DAMPER STRIP PLAIN FOIL FACED ONE SIDE 750x225x13   | PACK |                                                                                      |

### 9.2 HIGH TEMP

| Item Number | Description                                         | UOFM | Image                                                                                 |
|-------------|-----------------------------------------------------|------|---------------------------------------------------------------------------------------|
| C-50        | CERAMIC BLANKET 3.6Mx610x50MM<br>128KG/M3           | ROLL |  |
| ISO-610     | MILLBOARD-CERAMIC FIBRE<br>1000x610x6MM (To 1260°C) | SHT  |                                                                                       |
| NEF-5       | MILLBOARD<br>1000x1000x6MM (To 1000°C)              | SHT  |                                                                                       |

## 10.1 CLEANERS

| Item Number | Description                                | UOFM | Image                                                                                 |
|-------------|--------------------------------------------|------|---------------------------------------------------------------------------------------|
| LBG         | HAND CLEANER 5LTR                          | EA   |    |
| P15         | LEMONADE BEAD-GEL PUMP FOR 5LTR            | EA   |    |
| KPT         | PAPER HAND TOWELS 180MM x 105MTR - 16/CTN  | CTN  |  |
| TP          | TOILET PAPER 2 PLY 250 SHEETS 48/CTN 49211 | CTN  |  |

# 1 1 SAFETY GEAR

## 11.1 SAFETY EQUIPMENT

| Item Number | Description                                                        | UOFM | Image                                                                                 |
|-------------|--------------------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| B527        | SAFETY GLASSES (CLEAR)                                             | EA   |    |
| EM2S        | EARMUFFS - PROSAFE COBRA 28dB - CLASS 5 - NOISE LEVELS TO 110dB(A) | EA   |    |
| EPP         | EARPLUGS<br>MOULDEX SPARKPLUG 200/CTN                              | CTN  |   |
| TC012       | TACOMA SAFETY GLASSES (GREY)                                       | EA   |  |

## 11.2 DUST MASKS & GLOVES


| Item Number | Description                                                  | UOFM | Image                                                                                 |
|-------------|--------------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| 716         | BLUE (NAVY) DISPOSABLE OVERALLS<br>ONE SIZE XL               | EA   |    |
| 1100        | DUST MASK 1100 P1 NON-APPROVED<br>DISPOSABLE 50/CTN          | CTN  |    |
| 750         | DUST MASK 2200 P2 APPROVED<br>DISPOSABLE                     | EA   |  |
| 755         | DUST/MIST/FUME MASK 9920<br>DISPOSABLE WITH EXHALATION VALVE | EA   |  |
| 729         | LATEX GLOVES (100-GATOR/9)                                   | PAIR |  |
| 715         | TYVEK WHITE DISPOSABLE OVERALLS<br>SIZE LARGE                | EA   |  |

# 12 TOOLS

## 12.1 HAND TOOLS

| Item Number | Description                                                               | UOFM | Image                                                                                 |
|-------------|---------------------------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| CGND        | CAULKING GUN NON DRIP                                                     | EA   |    |
| BPH16       | HAMMER - BALL PEIN H/WD<br>HANDLE 16OZ (450GM)                            | EA   |    |
| BPH24       | HAMMER - BALL PEIN H/WD<br>HANDLE 24OZ (860GM)                            | EA   |                                                                                       |
| CPH-16      | HAMMER<br>CROSS PEIN 16 OZ                                                | EA   |   |
| BK          | KNIFE - BOOT SHEFFIELD inch<br>FOOTPRINT inch S/STEEL<br>4 1/2 inch BLADE | EA   |  |
| HK          | KNIFE - HACKING TRADESMAN<br>POLISHED STEEL 115MM<br>BLADE (4 1/2 inch)   | EA   |  |
| LK          | KNIFE - LAGGING SERATED KNIFE<br>POLISHED STEEL 300MM BLADE (6 inch)      | EA   |  |
| BROOM       | MAGNETIC ROLLING BROOM                                                    | EA   |  |
| MASOL       | MIDWEST AVIATION OFFSET SNIP<br>LEFT CUT (RED)                            | EA   |  |



| Item Number | Description                                         | UOFM | Image                                                                                 |
|-------------|-----------------------------------------------------|------|---------------------------------------------------------------------------------------|
| MASOR       | MIDWEST AVIATION OFFSET SNIP<br>RIGHT CUT (GREEN)   | EA   |    |
| ST-8M       | TAPE MEASURE 8M<br>26FT x 25MM BLADE                | EA   |    |
| S-M1R       | WISS SNIP M-1R RED LEFT CUT                         | EA   |    |
| S-M2R       | WISS SNIP M-2R GREEN RIGHT CUT                      | EA   |   |
| SS-M2       | WISS SNIP SPRINGS FOR GREEN M2R<br>3/PACKET         | PACK |  |
| SS-M1-3     | WISS SNIP SPRINGS FOR RED M1R M3R<br>& M6R 3/PACKET | PACK |                                                                                       |

## 12.2 HACKSAW BLADES

| Item Number | Description                                       | UOFM | Image                                                                                 |
|-------------|---------------------------------------------------|------|---------------------------------------------------------------------------------------|
| H18         | HACKSAW BLADE STD 18TPI 12 inch<br>LONG (STARRET) | EA   |  |
| H24         | HACKSAW BLADE STD 24TPI 12 inch<br>LONG (STARRET) | EA   |                                                                                       |
| H32         | HACKSAW BLADE STD 32TPI 12 inch<br>LONG (STARRET) | EA   |                                                                                       |

# 13 POWER TOOLS

## 13.1 POWER TOOLS & ACCESSORIES

| Item Number | Description                                          | UOFM | Image                                                                               |
|-------------|------------------------------------------------------|------|-------------------------------------------------------------------------------------|
| AHS-1       | AIR HAMMER - RETAINING SPRING<br>FOR TOOL ATTACHMENT | EA   |  |
| PA-1        | PITTSBURGH ATTACHMENT<br>FOR AH-1 AIR HAMMER         | EA   |  |

## 14.1 STYRENE SPI - FOIL FACED

| Item Number | Description                                                                                  | UOFM | Image                                                                               |
|-------------|----------------------------------------------------------------------------------------------|------|-------------------------------------------------------------------------------------|
| SF          | STYRENE SPI UNFACED & HD FOIL FACED ALL SIZES AVAILABLE -SHEET FORMAT AVAILABLE UPON REQUEST | MTR  |  |

## 14.2 GLASSWOOL SPI - FOIL FACED

| Item Number | Description                                                 | UOFM | Image                                                                                |
|-------------|-------------------------------------------------------------|------|--------------------------------------------------------------------------------------|
| FF          | F/G SPI UNFACED & HD FOIL FACED COMMON PIPE SIZES AVAILABLE | MTR  |  |

## 14.3 POLYETHYLENE SPI

| Item Number | Description                                   | UOFM | Image                                                                                 |
|-------------|-----------------------------------------------|------|---------------------------------------------------------------------------------------|
| PF          | POLYETHYLENE SPI FACED COMMON SIZES AVAILABLE | MTR  |  |

## 14.4 ROCKWOOL SPI - FOIL FACED

| Item Number | Description                                         | UOFM | Image                                                                                 |
|-------------|-----------------------------------------------------|------|---------------------------------------------------------------------------------------|
| RF          | ROCKWOOL SPI UNFACED & FACED COMMON SIZES AVAILABLE | MTR  |  |

# 15 PIPE CLADDING

## 15.1 ZINC BENDS

| Item Number | Description                                                                             | UOFM | Image                                                                               |
|-------------|-----------------------------------------------------------------------------------------|------|-------------------------------------------------------------------------------------|
| ZB          | BEND - .5MM ZINC - .6MM ALLUMINIUM - .55MM COLOURBOND AND STAINLESS ALL SIZES AVAILABLE | EA   |  |

## 15.2 ZINC CONES

| Item Number | Description                                                               | UOFM | Image                                                                                |
|-------------|---------------------------------------------------------------------------|------|--------------------------------------------------------------------------------------|
| ZC          | CONE - .5MM ZINC - .6MM ALLUMINIUM - .55MM COLOURBOND ALL SIZES AVAILABLE | EA   |  |

## 15.3 ZINC TEES

| Item Number | Description                                                              | UOFM | Image                                                                                 |
|-------------|--------------------------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| ZT          | TEE - .5MM ZINC - .6MM ALLUMINIUM - .55MM COLOURBOND ALL SIZES AVAILABLE | EA   |  |

## 15.4 ZINC STRAIGHTS

| Item Number | Description                                                               | UOFM | Image                                                                                 |
|-------------|---------------------------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| ZS          | STRAIGHT - .5MM ZINC .6MM ALLUMINIUM .55MM COLOURBOND ALL SIZES AVAILABLE | EA   |  |

**\*STAINLESS AVAILABLE ON REQUEST**

| ROW | SIZE  | MATERIAL | NOM SIZE MM | NOM SIZE INCH | CENTRE RAD. |
|-----|-------|----------|-------------|---------------|-------------|
| 1   | 12.7  | COPPER   | 15          | 1/2           | 38          |
| 2   | 15.9  | STEEL    | 12          | 1/2           | 38          |
| 3   | 19.1  | COPPER   | 20          | 3/4           | 29          |
| 4   | 21.3  | STEEL    | 15          | 1/2           | 38          |
| 5   | 25.4  | COPPER   | 25          | 1             | 38          |
| 6   | 26.9  | STEEL    | 20          | 3/4           | 29          |
| 7   | 31.8  | COPPER   | 32          | 1 1/4         | 48          |
| 8   | 33.7  | STEEL    | 25          | 1             | 38          |
| 9   | 38.1  | COPPER   | 40          | 1 1/2         | 57          |
| 10  | 42.4  | STEEL    | 32          | 1 1/4         | 48          |
| 11  | 48.3  | STEEL    | 40          | 1 1/2         | 57          |
| 12  | 50.8  | COPPER   | 50          | 2             | 55          |
| 13  | 54.0  | COPPER   | 54          | 2 1/8         | 40          |
| 14  | 60.3  | STEEL    | 50          | 2             | 76          |
| 15  | 63.5  | COPPER   | 65          | 2 1/2         | 68          |
| 16  | 66.7  | COPPER   | 67          | 2 5/8         | 55          |
| 17  | 76.1  | COPPER   | 80          | 3             | 95          |
| 18  | 88.9  | STEEL    | 80          | 3             | 114         |
| 19  | 101.6 | COPPER   | 100         | 4             | 115         |
| 20  | 114.3 | STEEL    | 100         | 4             | 152         |
| 21  | 127.0 | COPPER   | 125         | 5             | 190         |
| 22  | 139.7 | STEEL    | 125         | 5             | 190         |

| ROW | SIZE  | MATERIAL | NOM SIZE MM | NOM SIZE INCH | CENTRE RAD. |
|-----|-------|----------|-------------|---------------|-------------|
| 23  | 141.3 | STEEL    | 125         | 5             | 190         |
| 24  | 152.4 | COPPER   | 150         | 6             | 230         |
| 25  | 168.3 | STEEL    | 150         | 6             | 230         |
| 26  | 203.2 | COPPER   | 200         | 8             | 305         |
| 27  | 219.1 | STEEL    | 200         | 8             | 305         |
| 28  | 254.0 | COPPER   | 250         | 10            | 381         |
| 29  | 273.1 | STEEL    | 250         | 10            | 380         |
| 30  | 304.8 | COPPER   | 300         | 12            | 457         |
| 31  | 323.9 | STEEL    | 300         | 12            | 457         |
| 32  | 355.6 | STEEL    | 350         | 14            | 533         |
| 33  | 406.4 | STEEL    | 400         | 16            | 610         |
| 34  | 457.0 | STEEL    | 450         | 18            | 685         |
| 35  | 508.0 | STEEL    | 500         | 20            | 760         |
| 36  | 559.0 | STEEL    | 550         | 20            | 750         |
| 37  | 609.6 | STEEL    | 600         | 24            | 915         |
| 38  | 762.0 | STEEL    | 750         | 30            | 1143        |
| 39  | 915.0 | STEEL    | 900         | 36            | 1371        |
| 40  | 1067  | STEEL    | 1000        | 42            | 1600        |
| 41  | 1219  | STEEL    | 1200        | 48            | 1828        |
| 42  | 1372  | STEEL    | 1350        | 54            | 2057        |
| 43  | 1524  | STEEL    | 1500        | 60            | 2286        |
| 44  | 1830  | STEEL    | 1800        | 72            | 2743        |

# 17 P.I.R BOARD

| Item Number | Description                                  | UOFM | Image                                                                                                                                                                                                                                                               |
|-------------|----------------------------------------------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TD09        | ALUMINIUM F SECTION 4MTR LENGTH              | LGTH |  A photograph of a long, white, U-shaped aluminium F-section bar. A label at the top reads "F" Section Bar Alumunium".                                                           |
| TD08        | ALUMINIUM H SECTION 4MTR LENGTH              | LGTH | NO IMAGE AVAILABLE                                                                                                                                                                                                                                                  |
| TD11        | ALUMINIUM REO BAR 4MTR LENGTH                | LGTH |  A photograph of two cylindrical aluminium reinforcement bars (rebar) with cross-fluted profiles. One bar has a label that partially reads "Reinforcing Bar Alu".               |
| TD10        | ALUMINIUM SHAPED DISC                        | EA   |  A photograph of a circular, flat aluminium disc. A label at the bottom reads "Shaped Disk Aluminium".                                                                         |
| TD05        | COVERING ANGLE                               | EA   |  A photograph of a white PVC covering angle. The top part is shown in its open position, and the bottom part is shown closed. A label at the top reads "Covering Angle (PVC)". |
| TD02        | INVISIBLE FLANGE 4MTR LENGTH                 | LGTH |  A photograph of a white PVC invisible flange. A label at the top reads "Invisible Flange (PVC)".                                                                              |
| TD-20       | TD PRE INSULATED DUCT R1<br>4000X1200X20MM   | SHT  |  A photograph of a large, rectangular, pre-insulated duct board with a textured, fibrous surface. It is shown stacked on top of another similar board.                         |
| TD-25       | TD PRE INSULATED DUCT R1.2<br>4000X1200X25MM | SHT  |  A photograph of a large, rectangular, pre-insulated duct board with a smooth, light-colored surface. It is shown stacked on top of another similar board.                     |

| Item Number | Description                                  | UOFM | Image                                                                                 |
|-------------|----------------------------------------------|------|---------------------------------------------------------------------------------------|
| TD-R1.5     | TD PRE INSULATED DUCT R1.5<br>4000X1200X32MM | SHT  |    |
| TD-R2       | TD PRE INSULATED DUCT R2.0<br>4000X1200X42MM | SHT  |                                                                                       |
| TDT         | TD TOOL KIT                                  | EA   |   |
| TCF         | TIGER CLAW FLAT                              | LGTH |  |

# 18 TERMS AND CONDITIONS

## PRICING

- 1 All prices are subject to change without notice.

## DELIVERY

- 2 All stocked goods over 1 m<sup>3</sup> or no more than 3 metres long will be delivered promptly, where possible. The charge for this service is \$60.00 per delivery to store, \$75.00 to site.
- 3 Other goods below the above measurement can be sent via Clipper Parcels. The charge for this service is currently \$25.00 for goods up to 25kg that fit in a box 500 x 500 x 500mm for delivery in the Sydney Metro Area.
- 4 Goods delivered outside the Sydney Metro Area will be subject to current freight rates and will be quoted upon placement of order.
- 5 Deliveries for lengths greater than 3.7m will incur an additional \$5.00 surcharge.
- 6 Goods delivered by Australia Post incur current cost \$8.00 for up to 500g and \$12.00 for up to 3kg.

## BACKORDERS

- 7 Where a full order cannot be supplied the balance will automatically be placed on backorder unless you specify otherwise.

## RETURN OF GOODS

- 8 Goods that are returned for reasons other than CMG Sales Division's Error :
  - Will receive a restocking fee of 10% of the value of goods.
  - Return freight will be at the expense of the purchaser.
  - Goods consigned freight forward without prior agreement from CMG Sales Division will not be accepted.
  - No refund will be made of the freight component of the original invoice.
- 9 Goods must be returned in saleable condition within 7 days of despatch.
- 10 Prior approval must be obtained from CMG Sales Division before goods are returned.

## TERMS OF PAYMENT

- 11 Cash sales/C.O.D sales to non account customers are to be paid for prior to delivery or pickup.
- 12 Payment can be cash, credit card or EFT. Cheques are only accepted with prior arrangement.
- 13 Accounts with credit terms will be available after successful application and transaction of at least (1) cash/C.O.D trade.
- 14 Settlement of accounts will be prior to the last day of the following month the month of supply.
- 15 Exceeding these terms will immediately place the account on stop supply.
- 16 Payments may be made using EFT (preferable), cash or cheques.
- 17 Payments of accounts using credit cards will incur a fee, the value of which will be determined by the type of credit card used.

## DISCOUNTS

- 18 CMG Sales Division reserves the right to adjust or cancel all discounts or rebates at any time.

## TAX

- 19 All prices exclude GST (Goods and Services Tax)

## PASSING OF PROPERTY AND RISK

- 20 The risk of goods shall pass to you at the time of delivery. Possession and ownership of the goods shall not pass to you until all payments owing have been received by CMG Sales Division.

## SELLER'S RIGHT TO CHARGE INTEREST

- 21 Should you not make payment of any money due on any invoice issued by CMG Sales Division you shall pay interest at the rate equivalent to 90 day bank bills as published in the Financial Review on the due date plus 1% calculated on a daily basis until settlement.
- 22 Payments of accounts using credit cards (within terms of trade) may incur additional fees and charges.





## JOHN MEYER

### Founder and Chairman

John established Consolidated Insulation Co. in 1972. The Group he has built now covers major national agencies for air handling equipment and cooling towers, through to a diverse group of service and contracting companies in commercial & industrial insulation and fire protection.



## ERICH ANDERSON

### Manager and Estimator

Erich has been involved in the construction industry since 1979 and joined CMG in 2000 as Contracts Sales Manager. His duties included supervision, site management, estimating and sales, and he has worked on projects throughout Australia and overseas.



## DANN LUCHMUN

### Estimator

Dann recently joined the contracting team as a Trainee Estimator. Dann has completed an Advanced Diploma in Civil Engineering.



## GIL BAILACHE

### Projects Superintendent

Gil commenced in the construction industry in 1977 as an apprentice sheetmetal worker for Consolidated Insulation Co. Gil left the business and returned in 2008 having gained experience in operations and production roles.



## WAYNE BRAZEL

Wayne joined the company in 1997 after 20 years of supervision experience in the construction industry. Wayne's duties include, supervision on cooling tower projects on various building sites within the metropolitan area, liaising with clients on various issues including WH&S and scheduling.



## CRAIG ELSON

### Sales and Purchasing Manager

Craig offers a pro active approach to providing solutions and is well regarded in his dual roles as NSW Acoustics estimating and sales representative, and with his HVAC customers on the Central Coast, Newcastle and the South Coast regions of the Illawarra and the ACT.



## DONNA EAST

### Inner and Southern Suburbs Representative

Donna's personal and professional touch affords her excellent standing and respect among her HVAC customer base. She is ever ready to call on her substantial experience to provide the appropriate solution to her customer's requirements.



## BRIAN THOMSON

### Warehouse Manager

Brian has a vast experience in warehousing and logistical management with over 12 years at Coco Republic. Brian joined CMG in 2005 as warehouse manager with 8 staff assisting him, the team have shown a great understanding and willing to exceed in customer service.





## To Contact Us And Order

**PHONE :** (02) 9682 7277

**FAX :** (02) 9682 7062

**EMAIL :** [orders@cmg.net.au](mailto:orders@cmg.net.au)

**[www.cmg.net.au](http://www.cmg.net.au)** (login details available)

Or come in and see us - 212 Railway Terrace, Guildford, NSW, 2161